

SAFETY DATA SHEET

GW001 Carbon steel gas welding rods.



Version number: 2
Replaces SDS: 2009-11-23
Issued: 2014-03-24

Not for sale in the USA
Ensure that the SDS is received by the appropriate person

Section 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product identifier

Trade name	BOC STEEL CCMS ROD			
Article-no	Product/Article	Diameter(mm)	Packaging (kg)	Part Number
	BOC STEEL CCMS ROD	1.6	1	35490
		2.4	1	35491
		3.2	1	35492

1.2 Relevant identified uses of the substance or mixture and uses advised against

Article type	Oxy-fuel (Fusion) gas welding Classification: BS EN ISO 12536
Use	Oxy-fuel gas welding

1.3 Details of the supplier of the safety data sheet

Supplier	BOC Limited
Street address	Customer Service Centre, Priestley Road, Worsley, Manchester, M28 2UT, United Kingdom
Telephone	+44 (0)800 111 333
Fax	+44 (0)800 111 555
Email	custserv@boc.com

1.4 Emergency telephone number

Available outside office hours	Yes
Emergency phone number	+44 (0)800 111 333

Other

Additional product information	Web site www.BOConline.co.uk
---------------------------------------	--

Section 2. HAZARDS IDENTIFICATION

SAFETY DATA SHEET

GW001 Carbon steel gas welding rods.



Version number: 2
Replaces SDS: 2009-11-23
Issued: 2014-03-24

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1271/2008 [CLP] applicable

2.2 Label elements

Not applicable

2.3 Other hazards

When the product is used in the welding process the most important hazards are:
Overexposure to fumes and gases from welding can be dangerous to health.
Watch out for splatter, hot metal and slag. It may cause skin burn and cause fire.
Arc rays can injure eyes and burn skin.

Section 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

This product is a mixture and please refer to Section 3.2

3.2 Mixtures

ISO 12536	C %	Mn %	Si %	Cu %	Cr %	Ni %	Mo %	Al %
Cas Number	7440-44-0	7439-96-5	7440-21-3	7440-50-8	7440-47-3	7440-02-0	7439-98-7	7429-90-5
01	BAL	0.03 -0.12	0.35-0.65	0.02-0.20	≤0.35	-	-	-

Section 4. FIRST AND MEASURES

4.1 Description of first aid measures

Inhalation	IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms occur.
Skin contact	Burns should be treated by a doctor.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Burns from radiation, see doctor.
Ingestion	Contact a doctor if more than an insignificant amount has been swallowed.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation of vapours may cause irritation of the respiratory system in very susceptible persons.
-------------------	---

4.3 Indication of any immediate medical attention and special treatment needed

Not applicable

Section 5. FIRE-FIGHTING MEASURES

SAFETY DATA SHEET

GW001 Carbon steel gas welding rods.



Version number: 2
Replaces SDS: 2009-11-23
Issued: 2014-03-24

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO₂), powder or diffuse jet of water. In case of major fire: Extinguish fire with diffuse jet of water or foam.

5.2 Special hazards arising from the substance or mixture

Not applicable

5.3 Advice for fire fighters

Special protective equipment for fire fighters Wear self contained breathing apparatus

Section 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

General ventilation and local fume extraction must be adequate to keep fume concentrations within safe limits. Use respiratory equipment when welding in a confined space. Wear protective clothing and eye protection appropriate to oxy-fuel gas welding. Skin contact should be avoided to prevent possible allergic reactions.

6.2 Environmental precautions

Try to prevent the material from entering drains or water courses.

6.3 Methods and material for containment and cleaning up

Not applicable

6.4 Reference to other sections

For *Personal protection* see section 8. For *Disposal* see section 13. For *Environmental precautions* see section 12. For *Precautions for safe handling* see 7.1.

Section 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Preventive handling precautions Ensure adequate ventilation for the welder and others. Use respiratory equipment when welding in a confined space. Wear protective clothing and eye protection appropriate to oxy-fuel gas welding. Remove all flammable materials and liquids before welding.

General hygiene Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

SAFETY DATA SHEET

GW001 Carbon steel gas welding rods.



Version number: 2
Replaces SDS: 2009-11-23
Issued: 2014-03-24

Store welding consumables inside a room without humidity. Do not store welding consumables directly on the ground or beside walls. Store away from chemical substances like acids which could cause chemical reactions.

7.3 Specific end use(s)

Oxy-fuel gas welding.

Section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Welding fume component	CAS No.	WEL ² 8hr TWA	STEL ² 15min TWA	Hazard Classification 67/548/EC	Hazard Classification (GHS) 1272/2008
Iron oxide fume (as Fe)	1309-37-1	5	10		H332/H302 Acute Tox.4
Manganese and its inorganic compounds (as Mn)	7439-96-5	0.5		R20/R22	
Nickel and its inorganic compounds					H351 Carc.2
Water soluble	7440-02-0	0.1		R40/R43	H317skin sens 1/
Water insoluble		0.5		R49/R53	H413 Aquatic Ch.4
Silica, amorphous (total inhalable dust)	-	6			
(respirable dust)		2.4			
Carbon Dioxide	124-38-9	5000ppm	15000ppm		
Carbon Monoxide	630-08-0	30ppm	200ppm		

² As recommended by the MAK Commission based on scientific experience and is not established law.

8.2 Exposure controls

Environmental Exposure Controls

Refer to Section 6 of the SDS

Eye / face protection	General ventilation and local fume extraction must be adequate to keep fume concentrations within safe limits.
Safety gloves	Wear eye protection appropriate for welding.
Other skin protection	Skin contact should be avoided to prevent possible allergic reactions.
Respiratory protection	Wear body protection which helps to prevent injury from radiation, sparks and electric shock.
	Use respiratory equipment when welding in a confined space. Wear protective clothing and eye protection appropriate to arc welding.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET

GW001 Carbon steel gas welding rods.



Version number: 2
Replaces SDS: 2009-11-23
Issued: 2014-03-24

9.1 Information on basic physical and chemical properties

Appearance, colour	Generally copper coloured.
Appearance, physical state	Metal solid rod
Auto-ignition temperature	Not applicable
Auto-inflammability	Not auto-flammable
Decomposition temperature	Not applicable
Evaporation rate	Not applicable
Explosive properties	Not explosive
Flammability (solid gas)	Not applicable
Flash point	Not applicable
Form	Fast
Initial boiling point and boiling range	Not applicable
Melting point / Freezing point	Not applicable
Odour	Odourless
Odour threshold	Not applicable
Oxidising properties	Not applicable
Partition coefficient: n-octanol / water	Not applicable
pH value	Not applicable
Relative density	Not applicable
Solubility	Not applicable
Solubility in water	Insoluble
Upper / lower flammability or explosive limits	Not applicable
Vapour density	Not applicable
Vapour pressure	Not applicable
Viscosity	Not applicable

9.2 Other information

Not applicable

Other

Density	7.98g/cm ³
----------------	-----------------------

Section 10. STABILITY AND REACTIVITY

SAFETY DATA SHEET

GW001 Carbon steel gas welding rods.



Version number: 2
Replaces SDS: 2009-11-23
Issued: 2014-03-24

10.1 Reactivity

Not applicable

10.2 Chemical stability

Stable at normal conditions.

10.3 Possibility of hazardous reactions

Not applicable

10.4 Conditions to avoid

None under normal conditions

10.5 Incompatible materials

Not applicable

10.6 Hazardous decomposition products

Welding fumes and gases. Additional fume may arise from coatings and contaminants on the base material.

Welding fume component	CAS No.	Classification (67/548EEC)	CLP (1272/2008)		Concentration of classified fume components
Aluminium oxide (Al)	1344-28-1	-	-	-	<0.1
Barium (Ba)	7440-39-3	-	-	-	<0.1
Bismuth oxide (Bi)	12640-40-3	-	-	-	<0.1
Calcium (Ca)	1305-78-8	-	-	-	<0.1 to 0.2
Cobalt oxide (Co)	1307-96-6	R22: Harmful if swallowed R43: May cause sensitisation by contact	Acute tox 4 (oral) Skin sens. 1	H302 H317	<0.1
Chromium III compounds (as Cr)	24613-89-6	R45: May cause cancer R35: Causes severe burns R43: May cause sensitisation by skin contact	Carc. 1B Skin Corr. 1A Skin Sens. 1	H350 H314 H317	<0.1
Copper oxide (Cu)	1317-38-0	-	-	-	0.3 to 1.1
Iron oxide (Fe)	1332-37-2	-	-	-	45.8 to 61.4
Potassium (K)	7440-09-7	R34: Causes burns	Skin Corr. 1B	H314	<0.1
Lithium (Li)	7439-93-2	R34: Causes burns	Skin Corr. 1B	H314	<0.1
Magnesium oxide (Mg)	1309-48-4	-	-	-	<0.1

SAFETY DATA SHEET

GW001 Carbon steel gas welding rods.



Version number: 2
Replaces SDS: 2009-11-23
Issued: 2014-03-24

Manganese (Mn)	7439-96-5	-	-	-	6.3 to 15.0
Molybdenum (Mo)	7439-98-7	Molybdenum trioxide R36/37: Irritating to eyes and respiratory system R40: Limited evidence of carcinogenic effect	Molybdenum trioxide Carc. 2 Eye Irrit. 2 STOT SE 3	H351 H319 H335	<0.1
Sodium (Na)	7440-23-5	R34: Causes burns	Skin Corr. 1B	H314	<0.1
Nickel (Ni)	7440-02-0	R40: Limited evidence of carcinogenic effect R43: May cause sensitisation by skin contact R48/23: Toxic danger of serious damage to health by prolonged exposure through inhalation R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment	Carc. 2 Skin sens 1 STOT RE 1	H351 H317 H372	<0.1
Lead (Pb)	7439-92-1	-	-	-	<0.1
Silicon (Si)	7440-21-3	-	-	-	1.3 to 4.8
Titanium dioxide (Ti)	13463-67-7	-	-	-	<0.1
Vanadium (V)	7440-62-2	-	-	-	<0.1
Zinc (Zn)	7440-66-6	-	-	-	<0.1 to 0.7

Classification information relates to the fume during use

Section 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Conditions to avoid: none in the form supplied

When welding, fumes and gases generated can be dangerous to health.

Acute toxicology

Excessive exposures may affect human health, as follows: Aspiration may cause pulmonary oedema and pneumonitis Short-term overexposure can cause dizziness, nausea and irritation of the nose, throat or eyes.

SAFETY DATA SHEET

GW001 Carbon steel gas welding rods.



Version number: 2
Replaces SDS: 2009-11-23
Issued: 2014-03-24

Irritation	Not applicable
Corrosive effects	Not applicable
Sensitisation	May cause sensitisation by skin contact
Mutagenicity	Not applicable
Carcinogenicity	Welding fumes are possibly carcinogenic to humans
Repeated dose toxicity	Not applicable
Reproductive toxicity	Not applicable

Section 12. ECOLOGICAL INFORMATION

12.1 Toxicity

The welding process can effect the environment if fume is released directly into the atmosphere.

12.2 Persistence and degradability

Not applicable

12.3 Bio accumulative potential

Not applicable

12.4 Mobility in Soil

Not applicable

12.5 Results of PBT and vPvB assessment

Not applicable

12.6 Other adverse effects

Not applicable

Section 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Disposal considerations Dispose of any product, residue or packing material according to national and local regulations. Spent ;fume extraction filters shall be disposed of as dangerous waste.

Other

Waste code (EWC) 12 01 13 – welding waste

SAFETY DATA SHEET

GW001 Carbon steel gas welding rods.



Version number: 2
Replaces SDS: 2009-11-23
Issued: 2014-03-24

Section 14. TRANSPORT INFORMATION

14.1 UN number	Not applicable
14.2 UN proper shipping name	Not applicable
14.3 Transport hazard class(es)	Not applicable
14.4 Packing group	Not applicable
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	Not applicable
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable
Other	
Dangerous goods	No

Section 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture.

EU regulations	The product does not need to be labelled in accordance with EC directives or respective national laws.
National regulations	EH40/2005 Workplace exposure limits The Waste Regulations 2011 No. 988 Local laws and regulations should be carefully observed.

15.2 Chemical safety assessment

SAFETY DATA SHEET

GW001 Carbon steel gas welding rods.



Version number: 2
Replaces SDS: 2009-11-23
Issued: 2014-03-24

Not applicable

Section 16. OTHER INFORMATION

References to key literature and data sources	Regulation (EC) No 1907/2006 of the European Parliament and of the Council, (REACH). Regulation (EC) No 1272/2008 of the European Parliament and of the Council. EH40/2005 Workplace exposure limits. The Waste regulations 2011 No.988 C&L Inventory database Annex VI CLP Regulation (EC) 1272/2008
--	--

Other

Manufacturer's notes	<i>Read this Safety Data Sheet carefully and become aware of hazards implied and the safety information.</i>
-----------------------------	--

End of Document